

## Test Report

|                      |   |              |            |           |                |                |
|----------------------|---|--------------|------------|-----------|----------------|----------------|
| Manufacture Date     | 09.28 2022  | Testing Date | 09.29 2022 | Batch No. | 220928         |                |
| Testing Items        | Quality Standard: Q370828SDHX12-2021                  |              |            |           | Testing Result | Testing Method |
|                      | B65   | B60          | B55        | B50       |                |                |
| Appearance           | White powder or particle, no mildew, no agglomeration |              |            |           | Qualified      | /              |
| Tributylin, % $\geq$ | 65.0  | 60.0         | 55.0       | 50.0      | >60            | Appendix A     |
| Moisture, % $\leq$   | 10.0  | 10.0         | 10.0       | 10.0      | <10            | GB/T6435       |
| Pb, mg/kg $\leq$     | 30.0  | 30.0         | 30.0       | 30.0      | <30            | GB/T13080      |
| As mg/kg $\leq$      | 10.0  | 10.0         | 10.0       | 10.0      | <10            | GB/T13079      |
| Particle size        | d 1.0mm $\geq$  | 90.0         | 90.0       | 90.0      | >90            | GB/T5917.1     |
| Testing Conclusion   | Q370828SDHX12-2021                                    |              |            |           | Qualified      | /              |
| Remarks: 300g x2     |   |              |            |           |                |                |